

1. Record Nr.	UNINA9910711292203321
Autore	Coblentz Carl W
Titolo	Grease filter test methods : progress report for December 1, 1952 to April 30, 1953 // Carl W. Coblentz, P.R. Achenbach
Pubbl/distr/stampa	Gaithersburg, MD : , : U.S. Dept. of Commerce, National Institute of Standards and Technology, , 1953
Descrizione fisica	1 online resource
Collana	NBS report ; ; 2531
Altri autori (Persone)	AchenbachP. R CoblentzCarl W
Soggetti	Air filters - Testing Frying Warships
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	1953. Contributed record: Metadata reviewed, not verified. Some fields updated by batch processes. Title from PDF title page.
Nota di bibliografia	Includes bibliographical references.

2. Record Nr.	UNINA9910367731003321
Autore	Monika Myliwy
Titolo	Diversity and environmental variability of riparian tall herb fringe communities of the order Convolvuletalia sepium in Polish river valleys
Pubbl/distr/stampa	Polish Botanical Society, 2019
Descrizione fisica	1 online resource (130 p.)
Collana	Monographiae Botanicae
Soggetti	Botany & plant sciences
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Sommario/riassunto	<p>The riparian tall herb fringe communities of the order Convolvuletalia sepium represent an integral part of the natural vegetation in river valleys. The major objective of this study was to assess the relationships between the diversity and variability of these communities and various environmental factors. The survey was conducted in northwestern Poland, along 101 randomly selected 1-2-km long sections of 24 rivers and the Szczecin Lagoon. Samples were collected in 2008-2013 in all types of tall herb fringe vegetation found in the surveyed river sections. Data collected included hydrogeomorphic variables, soil parameters, potential and actual vegetation, and dominant land use form. A total of 24 vegetation units were documented, based on 300 sample plots (relevés). Tall herb fringe communities occurring in valleys of large rivers (<i>Senecionetum fluviatilis</i>, <i>Fallopio-Cucubaletum bacciferi</i>, <i>Achilleo salicifoliae-Cuscutetum lupuliformis</i>, <i>Convolvulo sepium-Cuscutetum europaeae typicum</i> and <i>chaerophylletosum bulbosi</i> subass. nov., <i>Rubus caesius</i> community, <i>Solidago gigantea</i> community) exhibited floristic and ecological differences in comparison with plant communities from small rivers (<i>Eupatorietum cannabini typicum</i>, <i>aegopodietosum</i> and <i>cardaminetosum amarae</i> subass. nov., <i>Epilobio hirsuti-Convolvuletum sepium</i>, <i>Soncho palustris-Archangelicetum litoralis</i>, <i>Convolvulo sepium-Cuscutetum europaeae aegopodietosum</i>, <i>Urtico-Convolvuletum sepium typicum</i> and <i>aegopodietosum</i>, <i>Urtica dioica</i></p>

community, *Galeopsis speciosa* community, *Rubus idaeus* community). This finding fully justified their division into two alliances: the *Senecionion fluviatilis* and the *Archangelicion litoralis*, respectively. Significant differences between the tall herb fringe communities associated with large rivers and the plant communities occurring along small rivers included plant species richness, moss layer cover, contribution of river corridor plants, level of invasion, influence of adjacent plant communities on the floristic composition, relative elevation and distance away from the riverbed, degree of shading, proportions of all grain size fractions, soil pH, contents of organic matter, humus, organic carbon, total nitrogen, bioavailable phosphorus, potassium, magnesium, and calcium in the soil. The differences in environmental characteristics of individual plant communities were significant as well; they showed that most vegetation units were well defined. The variables that best discriminated between riparian tall herb fringe communities included the natural potential vegetation unit *Salici-Populetum*, headwater seeps, soil pH, sample elevation above the river water level, river size, flooding, degree of shading, soil moisture, K₂O and CaO contents, and C/N ratio. The integration of the main riparian gradients (longitudinal, lateral, vertical) and patch perspective (e.g., natural potential vegetation units, and land use forms) significantly improved the comprehensive riparian vegetation patterns, because these two perspectives underpin different processes shaping the vegetation. This study contributed significantly to the knowledge of riparian tall herb fringe communities. Two subassociations are described here for the first time, whereas six others have not been previously reported from Poland. The data summarized in the synoptic table indicated that the species diagnostic for individual plant communities should be revised at the supra-regional scale. Some syntaxonomic issues were also determined. The inclusion of the order *Convolvuletalia sepium* to the class *Epilobietea angustifolii* resolved the problem of classifying the community dominated by *Eupatorium cannabinum*, a species showing two ecological optima: one in riparian tall herb communities and the other in natural gaps of the tree stands and clearings of fertile alder carrs and riparian woodlands. This also resolved the problem of classifying the communities dominated by *Galeopsis speciosa* and *Rubus idaeus*, intermediate between riparian tall herb and clearing communities. The results of this study may serve as a reference for management of the vegetation in river valleys and promote their conservation. They may also be essential for any future syntaxonomic revision of riparian tall herb fringe communities at a larger geographical extent.

3. Record Nr.	UNIORUON00415170
Autore	Benjamin, Walter
Titolo	Aura e choc : saggi sulla teoria dei media / Walter Benjamin ; a cura di Andrea Pinotti e Antonio Somaini
Pubbl/distr/stampa	Torino, : Einaudi, c2012
ISBN	978-88-06-20834-9
Descrizione fisica	XXXVI, 429 p. : ill. ; 21 cm.
Disciplina	302.2301
Soggetti	Arte - Teorie Comunicazione di massa - Teorie
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia