

1. Record Nr.	UNINA9910970010403321
Autore	Chanson Hubert
Titolo	Energy dissipation in hydraulic structures // Hubert Chanson, School of Civil Engineering, University of Queensland, Brisbane, Australia
Pubbl/distr/stampa	Boca Raton : , : CRC Press, , [2015] ©2015
ISBN	1-317-39674-X 0-429-22599-7
Edizione	[1st ed.]
Descrizione fisica	1 online resource (178 p.)
Collana	Balkema Book IAHR Monographs
Disciplina	628.10826634
Soggetti	Hydrodynamics Hydraulic structures Energy dissipation Diversion structures (Hydraulic engineering)
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references at the end of each chapters.
Nota di contenuto	Front Cover; About the IAHR Book Series; Table of contents; Preface; 1. Introduction: Energy dissipators in hydraulic structures; 2. Energy dissipation at block ramps; 3. Stepped spillways and cascades; 4. Hydraulic jumps and stilling basins; 5. Ski jumps, jets and plunge pools; 6. Impact dissipators; 7. Energy dissipation: Concluding remarks
Sommario/riassunto	Recent advances in technology have permitted the construction of large dams, reservoirs and channels. This progress has necessitated the development of new design and construction techniques, particularly with the provision of adequate flood release facilities. Chutes and spillways are designed to spill large water discharges over a hydraulic structure (e.g. dam, weir) without major damage to the structure itself and to its environment. At the hydraulic structure, the flood waters rush as an open channel flow or free-falling jet, and it is essential to dissipate a very significant part of the flow kinetic energy to avoid damage to the hydraulic structure and its surroundings. Energy dissipation may be realised by a wide range of design techniques. A number of modern developments have demonstrated that such energy

dissipation may be achieved (a) along the chute, (b) in a downstream energy dissipator, or (c) a combination of both. The magnitude of turbulent energy that must be dissipated in hydraulic structures is enormous even in small rural and urban structures. For a small storm waterway discharging at a 4 m³/s mm high drop, the turbulent kinetic energy flux per unit time is 120 kW! At a large dam, the rate of energy dissipation can exceed tens to hundreds of gigawatts; that is, many times the energy production rate of nuclear power plants. Many engineers have never been exposed to the complexity of energy dissipator designs, to the physical processes taking place and to the structural challenges. Several energy dissipators, spillways and storm waterways failed because of poor engineering design. It is believed that a major issue affecting these failures was the lack of understanding of the basic turbulent dissipation processes and of the interactions between free-surface aeration and flow turbulence. In that context, an authoritative reference book on energy dissipation in hydraulic structures is proposed here. The book contents encompass a range of design techniques including block ramps, stepped spillways, hydraulic jump stilling basins, ski jumps and impact dissipators.

2. Record Nr.	UNIORUON00513661
Titolo	Edgar Reitz / a cura di Stefanella Ughi ; prefazione di Giovanni Spagnoletti
Pubbl/distr/stampa	Roma, : Audino, [1993]
Descrizione fisica	63 p. : ill. ; 19 cm
Disciplina	791.43028
Soggetti	REITZ EDGAR
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia