

- |                         |  |
|-------------------------|--|
| 1. Record Nr.           | UNIPARTHENOPE000006952   |
| Titolo                  | La nuova s.r.l. : letture e proposte interpretative / a cura di Franco Farina ... [et al.]   |
| Pubbl/distr/stampa      | Milano : Giuffrè, 2004   |
| ISBN                    | 88-14-10652-5  |
| Descrizione fisica      | XX, 487 p. ; 24 cm   |
| Collana                 | Quaderni di Giurisprudenza commerciale ; 0255  |
| Disciplina              | 346.450668   |
| Collocazione            | O-0031   |
| Lingua di pubblicazione | Italiano   |
| Formato                 | Materiale a stampa   |
| Livello bibliografico   | Monografia   |
| 2. Record Nr.           | UNINA9910830309803321  |
| Titolo                  | Hybridized technologies for the treatment of mining effluents // edited by Elvis Fosso-Kankeu and Bhekie B. Mamba  |
| Pubbl/distr/stampa      | Hoboken, NJ : , : John Wiley & Sons, Inc., , [2023]<br>©2023   |
| ISBN                    | 1-119-89692-4<br>1-119-89691-6   |
| Descrizione fisica      | 1 online resource (312 pages)  |
| Disciplina              | 338.23   |
| Soggetti                | Mineral industries - Waste disposal  |
| Lingua di pubblicazione | Inglese  |
| Formato                 | Materiale a stampa   |
| Livello bibliografico   | Monografia   |
| Nota di bibliografia    | Includes bibliographical references and index.   |
| Nota di contenuto       | Cover -- Title Page -- Copyright Page -- Contents -- Preface -- Chapter 1 Passive Remediation of Acid Mine Drainage Using Phytoremediation: Role of Substrate, Plants, and External Factors in |

Inorganic Contaminants Removal -- 1.1 Introduction -- 1.2 Materials and Methods -- 1.2.1 Samples Collection and Characterization -- 1.2.2 Acquisition of the Plants and Reagents -- 1.2.3 Characterization of Samples -- 1.2.4 Quality Assurance and Quality Control (QA/QC) -- 1.2.5 Wetlands Design and Optimization Experiments -- 1.2.5.1 Wetland Design -- 1.2.5.2 Wetland Experimental Procedure and Assays -- 1.2.5.3 The Performance of the System -- 1.2.5.4 Determination of the Translocation and Distribution of Metals -- 1.2.5.5 Geochemical Modeling -- 1.3 Results and Discussion -- 1.3.1 Remediation Studies -- 1.3.1.1 Effect of FWS-CW on pH -- 1.3.1.2 Effect of FWS-CW on Electrical Conductivity -- 1.3.1.3 Effect of FWS-CW on Sulphate Concentration -- 1.3.1.4 Effect of FWS-CW on Metal Concentration -- 1.3.1.5 Role of Substrate in Metals Accumulation -- 1.3.1.6 Removal Efficiency of Metals and Sulphate in the Experimental System -- 1.3.2 Tolerance Index, Bioaccumulation, and Translocation Effects -- 1.3.2.1 Tolerance Index -- 1.3.2.2 Bioconcentration Factor -- 1.3.2.3 Translocation Factor -- 1.3.2.4 Metal Translocation and Distribution -- 1.3.3 Metals Concentration in Substrate and *Vetiveria zizanioides* Before and After Contact With AMD -- 1.3.4 Partitioning of Metals Between Substrate, Plants, and External Factors -- 1.3.5 Characterization of Solid Samples -- 1.3.5.1 Elemental Composition of the Substrate -- 1.3.5.2 Mineralogical Composition of the Substrate -- 1.3.5.3 Analysis of *Vetiveria zizanioides* Roots for Functional Group -- 1.3.5.4 Scanning Electron Microscope-Electron Dispersion Spectrometry of *Vetiveria zizanioides* Roots.

1.4 Chemical Species for Untreated and AMD-Treated Wetland With FWS-CW -- 1.5 Limitation of the Study -- 1.6 Conclusions and Recommendations -- References -- Chapter 2 Recovery of Strategically Important Heavy Metals from Mining Influenced Water: An Experimental Approach Based on Ion-Exchange -- Abbreviations -- 2.1 Introduction -- 2.2 Ion Exchange in Mine Water Treatment -- 2.2.1 Ion Exchange Terminology -- 2.2.2 Fundamentals of Ion Exchange Process -- 2.2.3 Selectivity of Ion-Exchange Materials -- 2.2.4 Chelating Cation Exchangers -- 2.3 Laboratory-Scale Ion Exchange Column Experiments -- 2.3.1 General Introduction to the Setup -- 2.3.2 Column Loading Process -- 2.3.3 Mass Transfer Zone -- 2.3.4 Regeneration Process (Deloading) -- 2.3.5 Metal Separation by Ion Exchange -- 2.3.6 Mass Balance Calculations -- 2.4 Case Study: Selective Recovery of Copper and Cobalt From a Chilean Mine Water -- 2.4.1 Problem Description and Objectives -- 2.4.2 Recovery of Copper from Mining Influenced Water -- 2.4.3 Cobalt Enrichment Using the Runoff Water from Previous Column Experiments -- 2.4.3.1 Column Experiment with TP 220 Resin Without pH Adjustment -- 2.4.3.2 Comparison of Breakthrough Curves in Cobalt Enrichment Experiments -- 2.4.4 Copper-Cobalt Separation During the Deloading Process -- 2.5 Case Study: Recovery of Zinc from Abandoned Mine Water Galleries in Saxony, Germany -- 2.6 Perspectives and Challenges -- Acknowledgments -- References -- Chapter 3 Remediation of Acid Mine Drainage Using Natural Materials: A Systematic Review -- 3.1 Introduction -- 3.2 Acid Mine Drainage -- 3.3 Formation of the Acid Mine Drainage -- 3.4 Potential Impacts of Acid Mine Drainage -- 3.4.1 The Impacts of AMD on the Environment and Ecology -- 3.5 Acid Mine Drainage Abatement/Prevention -- 3.6 Mechanisms of Pollutants Removal From AMD -- 3.6.1 Active Treatment. 3.6.2 Chemical Precipitation -- 3.6.3 Adsorption -- 3.6.4 Passive Treatment -- 3.6.5 Other Treatment Methods -- 3.6.5.1 Ion Exchange -- 3.6.5.2 Membrane Filtration -- 3.6.5.3 Acid Mine Drainage Treatment Using Native Materials -- 3.7 Conclusion -- References --

Chapter 4 Recent Development of Active Technologies for AMD Treatment -- Abbreviations -- 4.1 Introduction -- 4.1.1 Difference Between Active and Nonactive AMD Treatment Methods -- 4.1.2 Conventional Active Techniques for AMD Treatment -- 4.1.2.1 Alkali/Alkaline Neutralization Processes -- 4.1.2.2 In Situ Active AMD Treatment Processes -- 4.1.2.3 Microbiological Active AMD Treatment Systems -- 4.2 Recent Developments of Active AMD Treatment Technologies -- 4.2.1 Resource Recovery From Active AMD Treatment Technologies -- 4.2.1.1 Continuous Counter-Current-Based Technologies -- 4.2.1.2 Continuous Ion Filtration for Acid Mine Drainage Treatment -- 4.2.2 The Alkali-Barium-Calcium Process -- 4.2.3 Magnesium-Barium Oxide (MBO) Process -- 4.2.4 HybridICE Freeze Desalination Technology -- 4.2.5 Evaporation-Based Technologies -- 4.2.5.1 Multieffect Membrane Distillation (MEND) for AMD Treatment -- 4.2.5.2 Desalination of AMD Using Dewvaporation Process -- 4.2.5.3 Membrane-Based Technologies -- 4.3 Recent Disruptive Developments of AMD Treatment Technologies -- 4.3.1 Tailing Technology -- 4.3.2 Advanced Oxidation Processes -- 4.3.2.1 Ferrate Oxidation-Neutralization Process -- 4.3.2.2 Treatment of AMD by Ozone Oxidation -- 4.3.2.3 Ion-Exchange Technology for Active AMD Treatment -- References -- Chapter 5 Buffering Capacity of Soils in Mining Areas and Mitigation of Acid Mine Drainage Formation -- Abbreviations -- 5.1 Introduction -- 5.2 Control of Acid Mine Drainage -- 5.2.1 Water Covers -- 5.2.2 Mine Land Reclamation -- 5.2.3 Biocidal AMD Control -- 5.2.4 Alternative Dump Construction. 5.3 Treatment of Acid Mine Drainage -- 5.3.1 Active Treatment -- 5.3.1.1 Limestone -- 5.3.1.2 Hydrated Lime -- 5.3.1.3 Quicklime -- 5.3.1.4 Soda Ash -- 5.3.1.5 Caustic Soda -- 5.3.1.6 Ammonia -- 5.3.2 Passive Treatment -- 5.3.2.1 Biological Passive Treatment Systems -- 5.3.2.2 Geochemical Passive Treatment Systems -- 5.3.3 Emerging Passive Treatment Systems -- 5.3.3.1 Phytoremediation -- References -- Chapter 6 Novel Approaches to Passive and Semi-Passive Treatment of Zinc-Bearing Circumneutral Mine Waters in England and Wales -- 6.1 Introduction -- 6.1.1 Active Treatment Options for Zn -- 6.1.2 Passive Treatment Options for Zn -- 6.2 Hybrid Semi-Passive Treatment: Na<sub>2</sub>CO<sub>3</sub> Dosing and Other Water Treatment Reagents -- 6.2.1 Abbey Consols Mine Water -- 6.2.2 Laboratory Scale Na<sub>2</sub>CO<sub>3</sub> Dosing -- 6.2.3 Practical Implementation of Na<sub>2</sub>CO<sub>3</sub> Dosing -- 6.3 Polishing of Trace Metals With Vertical Flow Reactors -- 6.4 Concluding Remarks -- References -- Chapter 7 Recovery of Drinking Water and Valuable Metals From Iron-Rich Acid Mine Water Through a Combined Biological, Chemical, and Physical Treatment Process -- 7.1 Introduction -- 7.1.1 General Problem with Mine Water -- 7.1.2 Legislation -- 7.1.3 Ideal Solution -- 7.2 Objectives -- 7.3 Literature -- 7.3.1 Mine Water Treatment Processes -- 7.3.1.1 Limestone -- 7.3.1.2 Gypsum Crystallization and Inhibition -- 7.3.1.3 ROC -- 7.3.1.4 Biological Iron (II) Oxidation -- 7.3.1.5 Selective Metal Removal -- 7.3.2 Solubilities -- 7.3.3 Pigment -- 7.4 Materials and Methods -- 7.4.1 Fe<sup>2+</sup> Oxidation -- 7.4.1.1 Feedstock -- 7.4.1.2 Equipment -- 7.4.1.3 Procedure -- 7.4.1.4 Experimental -- 7.4.2 Neutralization (CaCO<sub>3</sub>, Na<sub>2</sub>CO<sub>3</sub> and MgO) -- 7.4.2.1 Feedstock -- 7.4.2.2 Equipment -- 7.4.2.3 Procedure -- 7.4.2.4 Experimental -- 7.4.3 pH 7.5 Sludge From Na<sub>2</sub>CO<sub>3</sub> as Alkali for Fe<sup>3+</sup> Removal -- 7.4.3.1 Feedstock -- 7.4.3.2 Equipment. 7.4.3.3 Procedure -- 7.4.3.4 Experimental -- 7.4.4 Inhibition -- 7.4.4.1 Feedstock -- 7.4.4.2 Equipment -- 7.4.4.3 Procedure -- 7.4.4.4 Experimental -- 7.4.5 MgO/SiO<sub>2</sub> Separation -- 7.4.5.1 Feedstock -- 7.4.5.2 Equipment -- 7.4.5.3 Procedure -- 7.4.5.4 Experimental -- 7.4.6 SiO<sub>2</sub> Removal -- 7.4.7 Pigment Formation --

7.4.7.1 Feedstock -- 7.4.7.2 Equipment -- 7.4.7.3 Procedure --  
7.4.7.4 Experimental -- 7.4.8 Analytical -- 7.4.9 Characterization of  
the Sludge -- 7.4.10 OLI -- 7.5 Results and Discussion -- 7.5.1  
Chemical Composition -- 7.5.2 Biological Fe<sup>2+</sup>-Oxidation -- 7.5.3  
CaCO<sub>3</sub> as Alkali for Removal of Fe<sup>3+</sup> and Remaining Metals -- 7.5.3.1  
Limestone Neutralization -- 7.5.3.2 pH 7.5 Sludge from Na<sub>2</sub>CO<sub>3</sub> as  
Alkali for Fe<sup>3+</sup> Removal -- 7.5.4 MgO and Na<sub>2</sub>CO<sub>3</sub> as Alkalis for  
Selective Removal of Fe<sup>3+</sup> and Al<sup>3+</sup> -- 7.5.4.1 Fe<sup>3+</sup> Removal with  
MgO -- 7.5.4.2 Al<sup>3+</sup> Removal with Na<sub>2</sub>CO<sub>3</sub> -- 7.5.4.3 Metal Behavior  
as Predicted by OLI Simulations -- 7.5.5 Gypsum Crystallization --  
7.5.5.1 Kinetics Gypsum Seed Crystal Concentration and Reaction Order  
-- 7.5.5.2 Inhibition of Gypsum Crystallization in the Absence of Fe  
(OH)<sub>3</sub> at Neutral pH -- 7.5.6 Separation of MgO and SiO<sub>2</sub> -- 7.5.7 Si<sup>4+</sup>  
Removal from Solution -- 7.5.8 Fe(OH)<sub>3</sub> Purity and Pigment Formation  
-- 7.5.9 Economic Feasibility -- 7.6 Conclusions -- Acknowledgment  
-- References -- Chapter 8 Acid Mine Drainage Treatment  
Technologies: Challenges and Future Perspectives -- 8.1 Introduction  
-- 8.2 Acid Mine Drainage -- 8.2.1 Acid Mine Drainage Formation --  
8.2.2 Roles of Different Factors Influencing AMD Formation -- 8.2.2.1  
Role of Bacteria in Acid Mine Drainage Generation -- 8.2.2.2 Role of  
Oxygen in Acid Mine Drainage Generation -- 8.2.2.3 Role of Water in  
Acid Mine Drainage Generation -- 8.2.2.4 Other Factors Influencing the  
Generation of AMD -- 8.3 Types of Mine Drainage -- 8.3.1  
Neutral/Alkaline Mine Drainage.  
8.4 Physicochemical Properties of AMD.

---

## Sommario/riassunto

Recent developments consist of the integration/hybridization of technologies to achieve the effective removal of pollutants from acid mine drainage (AMD) effluents in a stepwise manner such as to ensure that the cost of the process is minimized, and the resulting water is fit for purpose. This book presents eight specialized chapters that provide a state-of-the-art review of the different hybridized technologies that have been developed over the years for the treatment of mine effluent, including AMD. The successful implementation and challenges of these technologies are highlighted to give the reader a perspective on the management of such waste in the mining industry.

---