

1. Record Nr.	UNISA990000898700203316
Titolo	Il romanzo sentimentale, 1740-1814 / Giuliano Baioni ... et al. ; a cura di Paolo Amalfitano, Francesco Fiorentino, Giuseppe Merlino
Pubbl/distr/stampa	Pordenone : Studio tesi, 1990
ISBN	88-7692-233-4
Descrizione fisica	XXIV, 219 p. ; 24 cm
Collana	Collezione Biblioteca ; 84
Disciplina	809.39353
Soggetti	Sentimento nella letteratura narrativa - 1740-1814 - Congressi - 1989
Collocazione	VIII.3. 198 (VARIE COLL. 1024/84)
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Atti del Cinvegno tenuto a Sant'Arcangelo di Romagna nel 1989

2. Record Nr.	UNINA9910647220503321
Autore	Cacek Jan
Titolo	13th International Conference on Kinanthropology. Sport and Quality of Life : Book of Abstracts. September 7–9, 2022
Pubbl/distr/stampa	Brno : , : Masaryk University, , 2022 ©2022
Edizione	[1st ed.]
Descrizione fisica	1 online resource (127 pages)
Disciplina	306
Soggetti	Quality of life
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	INTRODUCTION -- METHODS -- RESULTS -- CONCLUSION -- ACKNOWLEDGMENTS -- LITERATURE.
Sommario/riassunto	Taekwondo, according to World Taekwondo Federation (WTF) has two official competitive disciplines, poomsae and kyorugi (technique and sport combat). Still, there is an insufficient number of studies which considered differences, or similarities between poomsae and kyorugi athletes. Aim of this investigation is to determine the possible difference between samples of taekwondo competitors in terms of somatotype and anthropometric measures. Sample of this research is composed of n=39 taekwondo competitors of cadet, junior and senior age, divided into two subsamples, kyorugi (n=27) and poomsae (n=12). Ten competitors are the current national champions, while one participant is the European champion. After statistical analysis was conducted between subsamples, somatotype values were turned out to be significantly different. Somatotype of observed kyorugi competitors is composed of endo- 2.55 ± 1.17 , meso- 3.66 ± 0.81 and ecto- 4.09 ± 1.22 , while mean values of poomsae sample are endo- 4.21 ± 0.70 , meso- 4.25 ± 0.61 and ecto- 2.69 ± 0.74 . According to success at national championship, female kyorugi national champions tend to be balanced ectomorfs, males to be ectomesomorphs, while poomsae champions tend to be endomesomorphs with tendency toward centre. Authors suggest that such results were expected due to their different training programs and competition requirements. Future research

should include especially male competitors, greater samples and
should be conducted on the international level competitors.
