

1. Record Nr.	UNISA996280246603316
Titolo	Computer-Aided Design (ICCAD), 2014 IEEE/ACM International Conference on
Pubbl/distr/stampa	IEEE
ISBN	1-4799-6278-3
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
2. Record Nr.	UNISA996490354703316
Titolo	Natural language processing and Chinese computing : 11th CCF international conference, NLPCC 2022, Guilin, China, September 24-25, 2022, proceedings, Part I // edited by Wei Lu [and three others]
Pubbl/distr/stampa	Cham, Switzerland : , : Springer, , [2022] ©2022
ISBN	3-031-17120-9
Descrizione fisica	1 online resource (878 pages)
Collana	Lecture Notes in Computer Science ; ; v.13551
Disciplina	495.10285
Soggetti	Chinese language - Data processing Natural language processing (Computer science)
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Intro -- Preface -- Organization -- Contents - Part I -- Contents - Part II -- Fundamentals of NLP (Oral) -- Exploiting Word Semantics to Enrich Character Representations of Chinese Pre-trained Models -- 1 Introduction -- 2 Related Work -- 3 Multiple Word Segmentation Aggregation -- 4 Projecting Word Semantics to Character Representation -- 4.1 Integrating Word Embedding to Character Representation -- 4.2 Mixing Character Representations Within a Word -- 4.3 Fusing New Character Embedding to Sentence Representation --

5 Experimental Setup -- 5.1 Tasks and Datasets -- 5.2 Baseline Models -- 5.3 Training Details -- 6 Results and Analysis -- 6.1 Overall Results -- 6.2 Ablation Study -- 6.3 Case Study -- 7 Conclusion -- References

-- PGBERT: Phonology and Glyph Enhanced Pre-training for Chinese Spelling Correction -- 1 Introduction -- 2 Related Work -- 3 Our Approach -- 3.1 Problem and Motivation -- 3.2 Model -- 4 Experiment -- 4.1 Pre-training -- 4.2 Fine Tuning -- 4.3 Parameter Setting -- 4.4 Baseline Models -- 4.5 Main Results -- 4.6 Ablation Experiments -- 5 Conclusions -- References -- MCER: A Multi-domain Dataset for Sentence-Level Chinese Ellipsis Resolution -- 1 Introduction -- 2 Definition of Ellipsis -- 2.1 Ellipsis for Chinese NLP -- 2.2 Explanations -- 3 Dataset -- 3.1 Annotation -- 3.2 Dataset Analysis -- 3.3 Annotation Format -- 3.4 Considerations -- 4 Experiments -- 4.1 Baseline Methods -- 4.2 Evaluation Metrics -- 4.3 Results -- 5 Conclusion -- References -- Two-Layer Context-Enhanced Representation for Better Chinese Discourse Parsing -- 1 Introduction -- 2 Related Work -- 3 Model -- 3.1 Basic Principles of Transition-Based Approach -- 3.2 Bottom Layer of Enhanced Context Representation: Intra-EDU Encoder with GCN -- 3.3 Upper Layer of Enhanced Context Representation: Inter-EDU Encoder with Star-Transformer -- 3.4 SPINN-Based Decoder. 3.5 Training Loss -- 4 Experiments -- 4.1 Experimental Settings -- 4.2 Overall Experimental Results -- 4.3 Compared with Other Parsing Framework -- 5 Conclusion -- References -- How Effective and Robust is Sentence-Level Data Augmentation for Named Entity Recognition? -- 1 Introduction -- 2 Methodology -- 2.1 CMix -- 2.2 CombiMix -- 2.3 TextMosaic -- 3 Experiment -- 3.1 Datasets -- 3.2 Experimental Setup -- 3.3 Results of Effectiveness Evaluation -- 3.4 Study of the Sample Size After Data Augmentation -- 3.5 Results of Robustness Evaluation -- 3.6 Results of CCIR Cup -- 4 Conclusion -- References -- Machine Translation and Multilinguality (Oral) -- Random Concatenation: A Simple Data Augmentation Method for Neural Machine Translation -- 1 Introduction -- 2 Related Works -- 3 Approach -- 3.1 Vanilla Randcat -- 3.2 Randcat with Back-Translation -- 4 Experiment -- 4.1 Experimental Setup -- 4.2 Translation Performance -- 4.3 Analysis -- 4.4 Additional Experiments -- 5 Conclusions -- References -- Contrastive Learning for Robust Neural Machine Translation with ASR Errors -- 1 Introduction -- 2 Related Work -- 2.1 Robust Neural Machine Translation -- 2.2 Contrastive Learning -- 3 NISTasr Test Dataset -- 4 Our Approach -- 4.1 Overview -- 4.2 Constructing Perturbed Inputs -- 5 Experimentation -- 5.1 Experimental Settings -- 5.2 Experimental Results -- 5.3 Ablation Analysis -- 5.4 Effect on Hyper-Parameter -- 5.5 Case Study -- 6 Conclusion -- References -- An Enhanced New Word Identification Approach Using Bilingual Alignment -- 1 Introduction -- 2 Related Work -- 3 Methodology -- 3.1 Architecture -- 3.2 Multi-new Model -- 3.3 Bilingual Identification Algorithm -- 4 Experiment -- 4.1 Datasets -- 4.2 Results of Multi-new Model -- 4.3 Results of NEWBA-P Model and NEWBA-E Model -- 5 Conclusions -- References -- Machine Learning for NLP (Oral). Multi-task Learning with Auxiliary Cross-attention Transformer for Low-Resource Multi-dialect Speech Recognition -- 1 Introduction -- 2 Related Work -- 3 Method -- 3.1 Two Task Streams -- 3.2 Auxiliary Cross-attention -- 4 Experiment -- 4.1 Data -- 4.2 Settings -- 4.3 Experimental Results -- 5 Conclusions -- References -- Regularized Contrastive Learning of Semantic Search -- 1 Introduction -- 2 Related Work -- 3 Regularized Contrastive Learning -- 3.1 Task Description -- 3.2 Data Augmentation -- 3.3 Contrastive Regulator -- 3.4 Anisotropy Problem -- 4 Experiments -- 4.1 Datasets -- 4.2

Training Details -- 4.3 Results -- 4.4 Ablation Study -- 5 Conclusion
-- A APPENDIX -- A.1 A Training Details -- References -- Kformer:
Knowledge Injection in Transformer Feed-Forward Layers -- 1
Introduction -- 2 Knowledge Neurons in the FFN -- 3 Kformer:
Knowledge Injection in FFN -- 3.1 Knowledge Retrieval -- 3.2
Knowledge Embedding -- 3.3 Knowledge Injection -- 4 Experiments --
4.1 Dataset -- 4.2 Experiment Setting -- 4.3 Experiments Results -- 5
Analysis -- 5.1 Impact of Top N Knowledge -- 5.2 Impact of Layers --
5.3 Interpretability -- 6 Related Work -- 7 Conclusion and Future Work
-- References -- Doge Tickets: Uncovering Domain-General Language
Models by Playing Lottery Tickets -- 1 Introduction -- 2 Background --
2.1 Out-of-domain Generalization -- 2.2 Lottery Ticket Hypothesis --
2.3 Transformer Architecture -- 3 Identifying Doge Tickets -- 3.1
Uncovering Domain-general LM -- 3.2 Playing Lottery Tickets -- 4
Experiments -- 4.1 Datasets -- 4.2 Models and Implementation -- 4.3
Main Comparison -- 5 Analysis -- 5.1 Sensitivity to Learning Variance
-- 5.2 Impact of the Number of Training Domains -- 5.3 Existence of
Domain-specific Manner -- 5.4 Consistency with Varying Sparsity
Levels -- 6 Conclusions -- References.
Information Extraction and Knowledge Graph (Oral) -- BART-Reader:
Predicting Relations Between Entities via Reading Their Document-Level
Context Information -- 1 Introduction -- 2 Task Formulation -- 3
BART-Reader -- 3.1 Entity-aware Document Context Representation --
3.2 Entity-Pair Representation -- 3.3 Relation Prediction -- 3.4 Loss
Function -- 4 Experiments -- 4.1 Dataset -- 4.2 Experiment Settings
-- 4.3 Main Results -- 4.4 Ablation Study -- 4.5 Cross-attention
Attends on Proper Mentions -- 5 Related Work -- 6 Conclusion --
References -- DuEE-Fin: A Large-Scale Dataset for Document-Level
Event Extraction -- 1 Introduction -- 2 Preliminary -- 2.1 Concepts --
2.2 Task Definition -- 2.3 Challenges of DEE -- 3 Dataset Construction
-- 3.1 Event Schema Construction -- 3.2 Candidate Data Collection --
3.3 Annotation Process -- 4 Data Analysis -- 4.1 Overall Statics -- 4.2
Event Types and Argument Roles -- 4.3 Comparison with Existing
Benchmarks -- 5 Experiment -- 5.1 Baseline -- 5.2 Evaluation Metric
-- 5.3 Results -- 6 Conclusion -- References -- Temporal Relation
Extraction on Time Anchoring and Negative Denoising -- 1
Introduction -- 2 Related Work -- 3 TAM: Time Anchoring Model
for TRE -- 3.1 Mention Embedding Module -- 3.2 Multi-task Learning
Module -- 3.3 Interval Anchoring Module -- 3.4 Negative Denoising
Module -- 4 Experimentation -- 4.1 Datasets and Experimental
Settings -- 4.2 Results -- 4.3 Ablation Study -- 4.4 Effects of Learning
Curves -- 4.5 Case Study and Error Analysis -- 5 Conclusion --
References -- Label Semantic Extension for Chinese Event Extraction --
1 Introduction -- 2 Related Work -- 3 Methodology -- 3.1 Event Type
Detection -- 3.2 Label Semantic Extension -- 3.3 Event Extraction -- 4
Experiments -- 4.1 Dataset and Experiment Setup -- 4.2 Main Result
-- 4.3 Ablation Study -- 4.4 Effect of Threshold -- 5 Conclusions.
References -- QuatSE: Spherical Linear Interpolation of Quaternion for
Knowledge Graph Embeddings -- 1 Introduction -- 2 Related Work --
3 Proposed Model -- 3.1 Quaternion Background -- 3.2 QuatSE -- 3.3
Theoretical Analysis -- 4 Experiment -- 4.1 Datasets -- 4.2 Evaluation
Protocol -- 4.3 Implementation Details -- 4.4 Baselines -- 5 Results
and Analysis -- 5.1 Main Results -- 5.2 1-N, N-1 and Multiple-
Relations Pattern -- 6 Conclusion -- References -- Entity Difference
Modeling Based Entity Linking for Question Answering over Knowledge
Graphs -- 1 Introduction -- 2 Related Work -- 2.1 Entity
Representation -- 2.2 Model Architecture -- 3 Framework -- 3.1
Question Encoder -- 3.2 Entity Encoder -- 3.3 Mention Detection and

Entity Disambiguation -- 4 Experiments -- 4.1 Model Comparison --
4.2 Ablation Study -- 4.3 Case Study -- 5 Conclusion -- References --
BG-EFRL: Chinese Named Entity Recognition Method and Application
Based on Enhanced Feature Representation -- 1 Introduction -- 2
Related Work -- 2.1 Chinese Named Entity Recognition -- 2.2
Embedding Representation -- 3 NER Model -- 3.1 Embedding
Representation -- 3.2 Initialize the Graph Structure -- 3.3 Encoders --
3.4 Feature Enhancer -- 3.5 Decoder -- 4 Experiments -- 4.1 Datasets
and Metrics -- 4.2 Implementation Details -- 4.3 Comparison Methods
-- 4.4 Results -- 5 Conclusion -- References -- TEMPLATE: TempRel
Classification Model Trained with Embedded Temporal Relation
Knowledge -- 1 Introduction -- 2 Related Work -- 3 Our Baseline
Model -- 4 TEMPLATE Approach -- 4.1 Build Templates -- 4.2
Embedded Knowledge of TempRel Information -- 4.3 Train the Model
with Embedded Knowledge of TempRel Information -- 5 Experiments
and Results -- 5.1 Data-set -- 5.2 Experimental Setup -- 5.3 Main
Results -- 5.4 Ablation Study and Qualitative Analysis -- 6 Conclusion
-- References.
Dual Interactive Attention Network for Joint Entity and Relation
Extraction.
