

1. Record Nr.	UNISA996464528103316
Titolo	Medical image understanding and analysis : 25th Annual Conference, MIUA 2021, Oxford, United Kingdom, July 12-14, 2021, proceedings / / edited by Bartomiej W. Papiez [and four others]
Pubbl/distr/stampa	Cham, Switzerland : , : Springer, , [2021] ©2021
ISBN	3-030-80432-1
Descrizione fisica	1 online resource (566 pages)
Collana	Lecture Notes in Computer Science ; ; v.12722
Disciplina	616.0754
Soggetti	Diagnostic imaging Diagnostic imaging - Data processing
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Includes index.
Nota di contenuto	Intro -- Preface -- Organization -- Contents -- Biomarker Detection -- Exploring the Correlation Between Deep Learned and Clinical Features in Melanoma Detection -- 1 Introduction -- 2 Dataset and Methodology -- 2.1 Dataset: Description and Pre-processing -- 2.2 Deep Architectures -- 2.3 ABCD Clinical Features and Classification -- 3 Experiments and Results -- 3.1 Quantitative Results -- 3.2 Alignment Between ABCD Features and Deep Learned Features -- 3.3 Qualitative Results -- 4 Conclusion -- References -- An Efficient One-Stage Detector for Real-Time Surgical Tools Detection in Robot-Assisted Surgery -- 1 Introduction -- 2 Methodology -- 2.1 Network Architecture -- 2.2 Loss Function for Learning -- 3 Experiment and Results -- 3.1 Dataset -- 3.2 Experiment Settings -- 3.3 Results -- 4 Conclusion -- References -- A Comparison of Computer Vision Methods for the Combined Detection of Glaucoma, Diabetic Retinopathy and Cataracts -- 1 Introduction -- 2 Research Problem and Environment -- 3 Literature Review -- 4 Experiment Setup -- 5 Model -- 5.1 Image Acquisition -- 5.2 The Composition of the Trained Models and Classifiers -- 5.3 Pre-processing -- 5.4 Feature Extraction and Classification -- 5.5 Displaying the Results -- 6 Results -- 7 Result Analysis -- 8 Conclusion -- References -- Prostate Cancer Detection Using Image-Based Features in Dynamic Contrast Enhanced MRI -- 1

Introduction -- 2 Materials and Methods -- 2.1 Dataset -- 2.2
 Preprocessing -- 2.3 Feature Extraction -- 2.4 Classification -- 3
 Results -- 3.1 Comparison of Image-Based, Pharmacokinetic and
 Perfusion-Related Features -- 3.2 Aggregation of All Features -- 4
 Discussion -- 5 Conclusions -- References -- Controlling False
 Positive/Negative Rates for Deep-Learning-Based Prostate Cancer
 Detection on Multiparametric MR Images -- 1 Introduction -- 2
 Methods -- 2.1 Problem Definition.
 2.2 Overall Training Loss Function -- 2.3 Lesion-Level Cost-Sensitive
 Classification Loss -- 2.4 Slice-Level Cost-Sensitive Classification Loss
 -- 3 Experiments and Evaluation -- 3.1 Data Set and Implementation
 Details -- 3.2 Evaluation Metrics -- 4 Results -- 4.1 Adjusting Mis-
 classification Cost at Lesion-Level -- 4.2 Adjusting Mis-classification
 Cost at Slice-Level -- 4.3 Adjusting Mis-classification Cost at Both
 Levels -- 4.4 Results Analysis -- 5 Conclusions -- References --
 Optimising Knee Injury Detection with Spatial Attention and Validating
 Localisation Ability -- 1 Introduction -- 2 Related Work -- 3 Materials
 -- 4 Method -- 4.1 Model Backbone -- 4.2 Spatial Attention -- 4.3
 Single-Plane and Multi-plane Analysis -- 4.4 Training Pipeline -- 5
 Evaluation -- 5.1 Quantitative -- 5.2 Ablation Study -- 6 Explainability
 -- 6.1 Localisation Ability -- 6.2 Features -- 6.3 Limitations -- 7
 Conclusion -- References -- Improved Artifact Detection in Endoscopy
 Imaging Through Profile Pruning -- 1 Introduction -- 2 Proposed
 Method -- 2.1 Artifact Detection -- 2.2 Novel Pruning Method Using
 Instance Profiles -- 3 Results -- 3.1 Dataset -- 3.2 Evaluation Metrics
 -- 3.3 Experimental Setup -- 3.4 Quantitative Results -- 3.5
 Qualitative Results -- 4 Discussion and Conclusion -- References --
 Automatic Detection of Extra-Cardiac Findings in Cardiovascular
 Magnetic Resonance -- 1 Introduction -- 2 Materials -- 3 Methods --
 3.1 Data Pre-processing -- 3.2 Binary ECF Classification -- 3.3 Multi-
 label ECF Classification -- 3.4 Training -- 3.5 Statistics -- 4 Results --
 4.1 Binary ECF Classification -- 4.2 Multi-label ECF Classification -- 5
 Discussion and Conclusion -- References -- Brain-Connectivity
 Analysis to Differentiate Phasmophobic and Non-phasmophobic: An
 EEG Study -- 1 Introduction -- 2 Principles and Methodologies -- 2.1
 Classical CCM.
 2.2 Estimating the Direction of Causation Using Conditional Entropy --
 2.3 Classification Using Kernelized Support Vector Machine -- 3
 Experiments and Results -- 3.1 Experimental Setup -- 3.2 Data
 Preprocessing -- 3.3 Active Brain Region Selection Usings LORETA --
 3.4 Effective Connectivity Estimation by CCM Algorithm -- 3.5
 Statistical Analysis Using One-Way ANOVA Test -- 3.6 Relative
 Performance Analysis of the Proposed CCM -- 4 Conclusion --
 References -- Image Registration, and Reconstruction -- Virtual
 Imaging for Patient Information on Radiotherapy Planning and Delivery
 for Prostate Cancer -- 1 Introduction -- 2 Materials and Methods --
 2.1 Study Design -- 2.2 Eligibility and Exclusion Criteria -- 2.3
 Radiotherapy -- 2.4 Bladder and Rectal Measurements -- 2.5 Bladder
 Volume Model -- 2.6 Statistical Analysis -- 3 Results -- 4 Discussion
 -- 5 Conclusion -- References -- Data-Driven Speed-of-Sound
 Reconstruction for Medical Ultrasound: Impacts of Training Data Format
 and Imperfections on Convergence -- 1 Introduction -- 2 Methods --
 2.1 Data Simulation -- 2.2 Network Setup -- 3 Results and Discussion
 -- 3.1 Data Format -- 3.2 Decimation -- 4 Conclusion -- References
 -- Selective Motion Artefact Reduction via Radiomics and k-space
 Reconstruction for Improving Perivascular Space Quantification in Brain
 Magnetic Resonance Imaging -- 1 Introduction -- 2 Materials
 and Methods -- 2.1 Subjects, Magnetic Resonance Imaging and Clinical

Visual Scores -- 2.2 Image Quality Assessment -- 2.3 Motion Artefact Reduction -- 2.4 PVS Segmentation -- 2.5 Comparison Against a Relevant Framework -- 2.6 Validation Against Clinical Parameters -- 3 Results -- 3.1 Image Quality Classification Results -- 3.2 Motion Artefact Reduction -- 3.3 Relationship Between Computational Measures and Clinical Visual Scores -- 4 Discussion -- References.

Mass Univariate Regression Analysis for Three-Dimensional Liver Image-Derived Phenotypes -- 1 Introduction -- 2 Materials and Methods -- 2.1 Data -- 2.2 Image Analysis and Mesh Construction -- 2.3 Mass Univariate Regression Analysis -- 3 Results -- 4 Discussion and Conclusions -- References -- Automatic Re-orientation of 3D Echocardiographic Images in Virtual Reality Using Deep Learning -- 1 Introduction -- 1.1 Related Work -- 2 Methodology -- 2.1 Data and Labelling -- 2.2 Methods -- 3 Results -- 4 Applications -- 4.1 Scene Setup -- 4.2 Integration -- 5 Discussion -- References -- A Simulation Study to Estimate Optimum LOR Angular Acceptance for the Image Reconstruction with the Total-Body J-PET -- 1 Introduction -- 2 Methods -- 3 Results -- 4 Conclusions -- References -- Optimised Misalignment Correction from Cine MR Slices Using Statistical Shape Model -- 1 Introduction -- 2 Preprocessing and Initial Misalignment Corrections -- 2.1 Preprocessing -- 2.2 Intensity and Contours Based Misalignment Corrections -- 3 Proposed Misalignment Correction Using Statistical Shape Model -- 3.1 Fitting the Statistical Shape Model -- 3.2 Misalignment Correction Using the SSM -- 4 Experimental Analysis -- 5 Conclusion -- References -- Slice-to-Volume Registration Enables Automated Pancreas MRI Quantification in UK Biobank -- 1 Introduction -- 2 Materials and Methods -- 2.1 UK Biobank Data -- 2.2 Slice-to-Volume Registration Method -- 2.3 SVR Implementation and Inference at Scale -- 2.4 Automated Quality Control -- 2.5 SVR Validation -- 3 Results -- 3.1 T1 Quantification: No Registration vs SVR-SSC -- 3.2 SVR Validation -- 4 Discussion and Conclusions -- References -- Image Segmentation -- Deep Learning-Based Landmark Localisation in the Liver for Couinaud Segmentation -- 1 Introduction -- 2 Methodology -- 2.1 Dataset -- 2.2 Landmark Localisation Model. 2.3 Direct Segmentation Model -- 2.4 Spatial Configuration Post-processing -- 2.5 Training and Evaluation -- 3 Results -- 3.1 Landmarking Accuracy -- 3.2 Couinaud Segmentation Accuracy -- 4 Discussion and Conclusion -- References -- Reproducibility of Retinal Vascular Phenotypes Obtained with Optical Coherence Tomography Angiography: Importance of Vessel Segmentation -- 1 Introduction -- 2 Methods -- 2.1 Participant Demographics and Imaging Protocol -- 2.2 Image Analysis -- 2.3 Statistical Analysis -- 3 Results -- 3.1 Microvascular Phenotype Reproducibility over Repeated OCTA Imaging -- 3.2 Dependence of Microvascular Phenotypes on the Choice of Segmentation/Skeletonization Algorithm -- 4 Discussion -- References -- Fast Automatic Bone Surface Segmentation in Ultrasound Images Without Machine Learning -- 1 Introduction -- 2 Methods -- 2.1 Simplified Segmentation Method with Bone Probability Map -- 2.2 Image Acquisition and Hardware Pre-sets -- 2.3 Algorithm Testing -- 2.4 Performance Testing Against a Machine Learning Model -- 3 Results -- 3.1 Processing Time -- 3.2 Quantitative Comparison Between Methods -- 3.3 Qualitative Comparison Between Methods -- 3.4 Performance Comparison with U-Net -- 4 Discussion and Conclusion -- References -- Pancreas Volumetry in UK Biobank: Comparison of Models and Inference at Scale -- 1 Introduction -- 2 Materials and Methods -- 2.1 Data Acquisition -- 2.2 Data Labelling and Preprocessing -- 2.3 Model Architectures -- 2.4 Model Training and Testing -- 2.5 Model Inference at Scale -- 3 Results -- 3.1 Model

Evaluation -- 3.2 Comparison with Volumetry from Pancreas-Specific Scan -- 3.3 UK Biobank Population Volumetry -- 3.4 Pancreas Volume Diurnal Variation. -- 4 Discussion and Conclusion -- References.
Ensemble of Deep Convolutional Neural Networks with Monte Carlo Dropout Sampling for Automated Image Segmentation Quality Control and Robust Deep Learning Using Small Datasets.
