

1. Record Nr.	UNISA996466128703316
Autore	Pettersson Mikael
Titolo	Compiling natural semantics / / Mikael Pettersson
Pubbl/distr/stampa	Berlin ; ; Heidelberg : , : Springer, , [1999] Â©1999
ISBN	3-540-48823-5
Edizione	[1st ed. 1999.]
Descrizione fisica	1 online resource (XVIII, 246 p.)
Collana	Lecture Notes in Computer Science, , 0302-9743 ; ; 1549
Disciplina	005.131
Soggetti	Programming languages (Electronic computers) - Semantics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Bibliographic Level Mode of Issuance: Monograph
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	1 Introduction -- 2 Preliminaries -- 3 The Design of RML -- 4 Examples -- 5 Implementation Overview -- 6 Reducing Nondeterminism -- 7 Compiling Pattern Matching -- 8 Compiling Continuations -- 9 Simulating Tailcalls in C -- 10 Performance Evaluation -- 11. Concluding Remarks -- A. The Definition of RML.
Sommario/riassunto	Natural Semantics has become a popular tool among programming language researchers for specifying many aspects of programming languages. However, due to the lack of practical tools for implementation, the natural semantics formalism has so far largely been limited to theoretical applications. This book introduces the rational meta-language RML as a practical language for natural semantics specifications. The main part of the work is devoted to the problem of compiling natural semantics, actually RML, into highly efficient code. For this purpose, an effective compilation strategy for RML is developed and implemented in the rml2c compiler. This compiler ultimately produces low-level C code. Benchmarking results show that rml2c-produced code is much faster than code resulting from compilers based on alternative implementation approaches.