

1. Record Nr.	UNISA996466535803316
Autore	Haran Shai M. J
Titolo	Arithmetical Investigations [[electronic resource]] : Representation Theory, Orthogonal Polynomials, and Quantum Interpolations // by Shai M. J. Haran
Pubbl/distr/stampa	Berlin, Heidelberg : , : Springer Berlin Heidelberg : , : Imprint : Springer, , 2008
ISBN	3-540-78379-2
Edizione	[1st ed. 2008.]
Descrizione fisica	xii, 217 p. : ill
Collana	Lecture Notes in Mathematics, , 0075-8434
Disciplina	511.42
Soggetti	Number theory Number Theory
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Bibliographic Level Mode of Issuance: Monograph
Nota di bibliografia	Includes bibliographical references (p. [209]-213) and index.
Nota di contenuto	Introduction: Motivations from Geometry -- Gamma and Beta Measures -- Markov Chains -- Real Beta Chain and q-Interpolation -- Ladder Structure -- q-Interpolation of Local Tate Thesis -- Pure Basis and Semi-Group -- Higher Dimensional Theory -- Real Grassmann Manifold -- p-Adic Grassmann Manifold -- q-Grassmann Manifold -- Quantum Group $U_q(\mathfrak{su}(1, 1))$ and the q-Hahn Basis.
Sommario/riassunto	In this volume the author further develops his philosophy of quantum interpolation between the real numbers and the p-adic numbers. The p-adic numbers contain the p-adic integers Z_p which are the inverse limit of the finite rings Z/p^n . This gives rise to a tree, and probability measures w on Z_p correspond to Markov chains on this tree. From the tree structure one obtains special basis for the Hilbert space $L_2(Z_p, w)$. The real analogue of the p-adic integers is the interval $[-1, 1]$, and a probability measure w on it gives rise to a special basis for $L_2([-1, 1], w)$ - the orthogonal polynomials, and to a Markov chain on "finite approximations" of $[-1, 1]$. For special (gamma and beta) measures there is a "quantum" or "q-analogue" Markov chain, and a special basis, that within certain limits yield the real and the p-adic theories. This idea can be generalized variously. In representation theory, it is the quantum general linear group $GL_n(q)$ that interpolates between the p-adic group $GL_n(Z_p)$, and between its real (and complex) analogue -the

orthogonal O_n (and unitary U_n) groups. There is a similar quantum interpolation between the real and p-adic Fourier transform and between the real and p-adic (local unramified part of) Tate thesis, and Weil explicit sums.
