

1. Record Nr.	UNISA996475872203316
Autore	Mogi Masataka
Titolo	Quantized phenomena of transport and magneto-optics in magnetic topological insulator heterostructures // Masataka Mogi
Pubbl/distr/stampa	Singapore : , : Springer Nature Singapore Pte Ltd., , [2022] ©2022
ISBN	9789811921377 9789811921360
Descrizione fisica	1 online resource (xv, 109 pages) : illustrations (some color)
Collana	Springer theses
Disciplina	530.41
Soggetti	Magneto-optics Topological insulators
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"Doctoral Thesis accepted by The University of Tokyo, Tokyo, Japan."
Nota di bibliografia	Includes bibliographical references.
Nota di contenuto	Introduction Experimental Methods Magnetic Modulation Doping For Quantum Anomalous Hall Effect Magnetic Proximity Induced Quantum Anomalous Hall Effect Topological Phase Transitions Relevant to Quantum Anomalous Hall Effect Half-integer Quantized Electrodynamics in 3D Topological Insulator Summary
Sommario/riassunto	This book presents experimental studies on emergent transport and magneto-optical properties in three-dimensional topological insulators with two-dimensional Dirac fermions on their surfaces. Designing magnetic heterostructures utilizing a cutting-edge growth technique (molecular beam epitaxy) stabilizes and manifests new quantization phenomena, as confirmed by low-temperature electrical transport and time-domain terahertz magneto-optical measurements. Starting with a review of the theoretical background and recent experimental advances in topological insulators in terms of a novel magneto-electric coupling, the author subsequently explores their magnetic quantum properties and reveals topological phase transitions between quantum anomalous Hall insulator and trivial insulator phases; a new topological phase (the axion insulator); and a half-integer quantum Hall state associated with the quantum parity anomaly. Furthermore, the author shows how these quantum phases can be significantly stabilized via magnetic

modulation doping and proximity coupling with a normal ferromagnetic insulator. These findings provide a basis for future technologies such as ultra-low energy consumption electronic devices and fault-tolerant topological quantum computers.

---