

- | | |
|-------------------------|--|
| 1. Record Nr. | UNICAMPANIASUN0061223 |
| Autore | Pizzuti, Giuseppe Mario |
| Titolo | Il diritto di non sapere / Giuseppe Mario Pizzuti |
| Pubbl/distr/stampa | Napoli : La città del sole, c2006 |
| ISBN | 88-8292-341-x |
| Descrizione fisica | 222 p. ; 21 cm. |
| Lingua di pubblicazione | Italiano |
| Formato | Materiale a stampa |
| Livello bibliografico | Monografia |
| 2. Record Nr. | UNISALENTO991000796639707536 |
| Autore | Khaleelulla, S. M. |
| Titolo | Counterexamples in topological vector spaces / S. M. Khaleelulla |
| Pubbl/distr/stampa | Berlin : Springer-Verlag, 1982 |
| ISBN | 354011565X |
| Descrizione fisica | xxi, 179 p. ; 24 cm. |
| Collana | Lecture notes in mathematics, 0075-8434 ; 936 |
| Classificazione | AMS 46A |
| Disciplina | 510
515.73 |
| Soggetti | Linear topological spaces |
| Lingua di pubblicazione | Inglese |
| Formato | Materiale a stampa |
| Livello bibliografico | Monografia |
| Note generali | Bibliography: p. [158]-169.
Includes index |

3. Record Nr.	UNINA9910717369903321
Autore	Bloomfield Hanna E.
Titolo	Predictors and consequences of severe hypoglycemia in adults with diabetes : a systematic review of the evidence // Hanna E. Bloomfield [and seven others]
Pubbl/distr/stampa	Washington, District of Columbia : , : Department of Veterans Affairs (US), , [2012] ©2012
Descrizione fisica	1 online resource (iii, 163 pages) : illustrations
Disciplina	616.462025
Soggetti	Diabetics Diabetics - Diet therapy United States
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"Evidence-based synthesis program." "April 2012."
Nota di bibliografia	Includes bibliographical references.
Sommario/riassunto	Prevalence of type 2 diabetes is increasing at an alarming pace, fueled by the rising rates of overweight and obesity in many populations. In the VA healthcare system, the prevalence of diabetes was 20% in fiscal year 2000 and is now estimated at nearly 25%. Although people with diabetes have a substantially increased risk of cardiovascular disease (CVD), recent trials show that intensive glucose lowering does not reduce the risk of CVD death or all-cause mortality although it reduces the risk of microvascular complications (nephropathy, retinopathy and neuropathy) and possibly non-fatal myocardial infarction. Intensive glucose control also increases the risk of hypoglycemic episodes. Several recent meta-analyses of the trials comparing intensive to conventional glucose control concluded that intensive control is associated with a 2-2.5 fold increased risk of severe hypoglycemia. The reviews however have not included smaller randomized trials, trials focused on the comparison of specific drug regimens, and non-randomized trials. We conducted the current review to provide broader

insight into the incidence of, the risk factors for, and the clinical and social impact of severe hypoglycemia in adults with type 2 diabetes treated with glucose lowering medications.
