

1. Record Nr.	UNISALENTO991002250009707536
Autore	Paratore, Ettore
Titolo	Le elegie di Propertio : corso accademico dell'anno 1970-71 / Ettore Paratore
Pubbl/distr/stampa	Roma : Edizioni dell'Ateneo, 1971
Descrizione fisica	258 p. ; 24 cm
Altri autori (Persone)	Propertius, Sextus
Disciplina	874
Soggetti	Elegia latina Propertio, Sesto. Elegiae. L. 1. Propertio, Sesto. Elegiae. L. 1.
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	In testa al front.: Università degli studi di Roma, Facoltà di lettere e filosofia.

2. Record Nr.	UNINA9910830350203321
Autore	Kario Kazuomi
Titolo	Essential manual of 24-hour blood pressure management : from morning to nocturnal hypertension / / Kazuomi Kario
Pubbl/distr/stampa	Hoboken, New Jersey : , : Wiley-Blackwell, , [2022] ©2022
ISBN	1-119-79941-4 1-119-79940-6 1-119-79938-4
Edizione	[Second edition.]
Descrizione fisica	1 online resource (397 pages)
Disciplina	616.132061
Soggetti	Hypertension
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Evidence and scientific rationale for ambulatory blood pressure monitoring (ABPM) -- Scientific rationale for HBPM -- Practical use of ABPM and HBPM -- BP targets, when to initiate antihypertensive therapy, and non-pharmacological treatment -- Antihypertensive medication -- Renal denervation -- Blood pressure linked telemedicine and telecare -- Asia Perspectives.
Sommario/riassunto	"Blood pressure (BP) always varies over time, including beat-by-beat, trigger-induced, orthostatic, diurnal, day-by-day, weekly, seasonal, and age-related variations. Of these different BP variability components, circadian rhythm is the central component of individual BP variability, and there is a large body of accumulating evidence highlighting the importance of this parameter. Basic circadian rhythm forms the basis of individual diurnal BP variation (Figure 1.1) 1. The circadian rhythm of BP is physiologically determined partly by the intrinsic rhythm of central and peripheral clock genes, which regulate the neurohumoral factor and cardiovascular systems, and partly by the sleep-wake behavioral pattern, and is associated with various pathological conditions. In addition to different patterns of circadian rhythm, short-term BP variability such as morning BP surge (MBPS), physical or psychological stress-induced daytime BP, and nighttime BP

surge triggered by hypoxic episodes in obstructive sleep apnea, arousal, rapid-eye-movement sleep, and nocturnal behavior (e.g. nocturia) modulates the circadian rhythm of BP, resulting in the different individual diurnal BP variation"--
